## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2014 with regard to energy labelling of household washing machines and household washer-dryers

## Supplier's name or trade mark: Bosch

Supplier's address: Bosch Service, Carl-Wery-Straße 34, 81739 München, DE

## Model identifier: WGG254F0GB

## General product parameters:

Parameter	Value		Parameter	Value	
Rated capacity <sup>(a)</sup> (kg)	10,0		Dimensions in cm	Height	85
				Width	60
	1			Depth	63
Energy Efficiency Index <sup>(a)</sup> (EEI <sub>W</sub> )		51,7	Energy efficiency class <sup>(a)</sup>	A	
Washing efficiency index <sup>(a)</sup>		1,035	Rinsing effectiveness (g/kg) <sup>(a)</sup>		5 <i>,</i> 0
Energy consump- tion in kWh per cycle, based on the eco 40-60 pro- gramme at a com- bination of full and partial loads. Actu- al energy consump- tion will depend on how the appliance is used.		0,511	Water consumption in litre per cycle, based on the eco 40-60 programme at a combination of full and partial loads. Actu- al water consumption will de- pend on how the appliance is used and on the hardness of the water.		50
Maximum temper- ature inside the treated textile <sup>(a)</sup> (°C)	Rated capacity Half	28	Weighted remaining moisture content <sup>(a)</sup> (%)		52,9
		28			
	Quarter			D	
Spin speed <sup>(a)</sup> (rpm)	Rated capacity	1 351	Spin-drying efficiency class <sup>(a)</sup>	В	
	Half	1 400			
	Quarter	1 400			
Programme dura- tion <sup>(a)</sup> (h:min)	Rated capacity	3:50	Туре	Free-standing	
	Half	2:55			
	Quarter	2:30	1		
Airborne acousti- cal noise emissions in the spinning phase <sup>(a)</sup> (dB(A) re 1 pW)		74	Airborne acoustical noise emis- sion class <sup>(a)</sup> (spinning phase)	В	

••	er's website, where the i	nformation in point 9 of Annex II to Co vww.bosch-home.com/energylabel	ommission					
ions during the wash	<u> </u>	er NO						
Minimum duration of the guarantee offered by the supplier: 24 months								
Delay start (W) (if applicable)		etworked standby (W) (if ap- icable)	N/A					
Off-mode (W) (if applicable)		andby mode (W) (if applica- e)	0,40					

(a) for the eco 40-60 programme.